

INDEX

A

- abbreviations table 4, 66–67
- ABI 10, 60
- accelerated access 49
- access declarations 41
- accessibility 18, 41, 74
- activations 5, 59
- address space
 - contiguous 23, 26
 - flat 19
 - multiple 13
 - segmented 5, 19, 26, 33, 50, 66
- addresses
 - class 19, 26, 38, 75
 - offset portion 19, 50, 66, 77
 - size of 50, 66, 77
- anonymous types 30
- anonymous unions 33, 41
- arrays 5, 39
 - dimensions 39
 - ordering 39, 77
 - stride 39
- artificial entries 19
- attributes 3, 7, 67
 - addresses 8, 67
 - blocks 8, 67
 - constants 8, 68
 - flags 8, 69
 - forms 4, 7, 67
 - names 4, 7, 67
 - ordering 9, 27
 - references 8, 69
 - strings 9, 70
 - values 4, 7, 66

B

- base types 18, 24, 37, 65, 74
- bit fields 42

C

- C 3, 26, 33, 39–40, 45, 47, 57
- C++ 3, 5, 18–19, 21, 28, 32–33, 40–41, 43, 47, 49, 57
- call frame information 5, 59, 65, 78
 - Common Information Entry 61
 - Frame Description Entry 62
 - instructions 62, 78

- register rules 61
- structure 60
- usage 64
- calling conventions 26, 65, 76
- catch blocks 32
- classes 33, 40
 - derived 40
 - friends 41
 - incomplete 40
 - virtual base 41
- common blocks 27, 35
- compatibility 3, 65
- compilation units 23, 28, 44, 66
 - header 66
- constants 33–34

D

- .debug 4
- .debug_abbrev 66–67, 79
- .debug_aranges 49, 77, 79
- .debug_frame 61, 79
- .debug_info 3–4, 7, 49–50, 66, 79
- .debug_line 4, 50, 79
- .debug_loc 17, 79
- .debug_macinfo 57, 79
- .debug_pubnames 49, 77, 79
- .debug_str 70, 79
- debugging information entries 3, 7, 9, 66
 - child entries 4, 9, 67
 - null entries 9, 66–67
 - siblings 4, 9, 67
- declarations
 - accessibility 18, 74
 - coordinates 20, 28, 30, 44
 - defining 20, 33, 40, 43
 - external 25, 33
 - imported 35
 - non-defining 4, 20, 26, 33, 38, 40
 - scope 34, 37
 - types of 4, 18
 - visibility 18, 75
- discriminants 44, 77
- discriminated unions 40, 44, 77

E

- entry points 25
 - declarations owned by 27

- locations 26
- return types 26
- enumerations 5, 39, 45
- error values 65
- exceptions 5, 28, 32

F

- file types 48
- flat address space 19
- Fortran 3, 27, 35, 46–47
- FORTTRAN77 3
- Fortran90 3, 34–35
- friends 41

I

- identifiers
 - case 24, 76
 - names 21, 49
- imports 35
- inheritance 40

L

- labels 31
- languages 3, 23, 75
- LEB128 8, 51, 68, 70
- lexical blocks 31
- line number information 4, 20, 23, 50, 77
 - definitions 51, 77
 - extended opcodes 52, 56, 78
 - general rules 59
 - prologue 52
 - special opcodes 52, 54
 - standard opcodes 52, 55, 78
 - state machine registers 51
- locations
 - arithmetic operations 13
 - control flow operations 14
 - descriptions 4, 10, 19, 41, 72
 - examples 15–16
 - expressions 10, 41, 65, 72
 - lists 4, 10, 17, 74
 - literal encodings 11
 - logical operations 13
 - register based addressing 12
 - register name operators 10
 - special operations 15
 - stack 11–12, 15
- lookup

- by address 49, 77
- by name 49, 77

M

- macro information 4, 24, 57, 78
 - base source entries 58
 - command line options 58
 - define and undefine entries 57
 - end file entries 58
 - start file entries 58
 - vendor extensions 58
- main programs 26
- members 30
 - bit fields 42
 - data 40–41
 - functions 25, 40, 43
 - locations 11, 43
 - pointers to 47
 - static data 33, 40, 49
- Modula2 3, 18, 25, 32
- modules 25
 - definition 25
 - priority 25

N

- namelists 35

O

- optimized code 10, 18, 33

P

- parameters
 - default value 34
 - formal 27, 32–33, 45
 - optional 34
 - unspecified 27, 32, 46
 - variable 34
- Pascal 3, 32, 40, 46, 48
- pointers to members 47
- pre-processor 4, 57

R

- records 40

S

- scope 34, 37
- segmented address space 5, 19, 26, 33, 50, 66
- set types 46
- source
 - columns 20, 51
 - files 20, 23, 51, 53, 56, 58, 78
 - lines 20, 51, 57
- string table 70
- string types 46
- structures 33, 40
 - derived 40
 - incomplete 40
- subranges 39, 46
- subroutines 19, 25
 - declarations owned by 27
 - frame base 12, 27
 - inline 28, 76
 - inlined 29
 - locations 26
 - members 25, 43
 - nested 27
 - out-of-line 30
 - prototypes 26, 45
 - return addresses 27
 - return types 26, 45
 - types 19, 45

T

- tags 4, 7, 65, 67
- templates 5, 28, 43
- try blocks 32
- type modifiers 18, 38
- typedefs 38
- types
 - base 18, 24, 37, 65, 74
 - constant 18, 38
 - modifiers 18, 38
 - packed 18, 38
 - pointer 18–19, 38
 - reference 18–19, 38
 - user-defined 18
 - volatile 18, 38

U

- unions 33, 40, 42
 - anonymous 33, 41
 - incomplete 40
- user-defined types 18

V

- variable length data 4, 8, 68, 70
- variables 33
- variants 40, 44, 77
- vendor extensions 4, 58, 60, 65
- Version 1 3–4, 10, 66
- Version 2 3, 10, 66, 78
- virtual functions 3, 19, 43
- virtuality 19, 41, 43, 75
- visibility 18, 75

W

- with statements 32