

## INDEX

### A

- abbreviations table 4, 66–67
- ABI 10, 60
- accelerated access 49
- access declarations 41
- accessibility 18, 41, 74
- activations 5, 59
- address space
  - contiguous 23, 26
  - flat 19
  - multiple 13
  - segmented 5, 19, 26, 33, 50, 66
- addresses
  - class 19, 26, 38, 75
  - offset portion 19, 50, 66, 77
  - size of 50, 66, 77
- anonymous types 30
- anonymous unions 33, 41
- arrays 5, 39
  - dimensions 39
  - ordering 39, 77
  - stride 39
- artificial entries 19
- attributes 3, 7, 67
  - addresses 8, 67
  - blocks 8, 67
  - constants 8, 68
  - flags 8, 69
  - forms 4, 7, 67
  - names 4, 7, 67
  - ordering 9, 27
  - references 8, 69
  - strings 9, 70
  - values 4, 7, 66

### B

- base types 18, 24, 37, 65, 74
- bit fields 42

### C

- C 3, 26, 33, 39–40, 45, 47, 57
- C++ 3, 5, 18–19, 21, 28, 32–33, 40–41, 43, 47, 49, 57
- call frame information 5, 59, 65, 78
  - Common Information Entry 61
  - Frame Description Entry 62
  - instructions 62, 78

- register rules 61
- structure 60
- usage 64
- calling conventions 26, 65, 76
- catch blocks 32
- classes 33, 40
  - derived 40
  - friends 41
  - incomplete 40
  - virtual base 41
- common blocks 27, 35
- compatibility 3, 65
- compilation units 23, 28, 44, 66
  - header 66
- constants 33–34

### D

- .debug 4
- .debug\_abbrev 66–67, 79
- .debug\_aranges 49, 77, 79
- .debug\_frame 61, 79
- .debug\_info 3–4, 7, 49–50, 66, 79
- .debug\_line 4, 50, 79
- .debug\_loc 17, 79
- .debug\_macinfo 57, 79
- .debug\_pubnames 49, 77, 79
- .debug\_str 70, 79
- debugging information entries 3, 7, 9, 66
  - child entries 4, 9, 67
  - null entries 9, 66–67
  - siblings 4, 9, 67
- declarations
  - accessibility 18, 74
  - coordinates 20, 28, 30, 44
  - defining 20, 33, 40, 43
  - external 25, 33
  - imported 35
  - non-defining 4, 20, 26, 33, 38, 40
  - scope 34, 37
  - types of 4, 18
  - visibility 18, 75
- discriminants 44, 77
- discriminated unions 40, 44, 77

### E

- entry points 25
  - declarations owned by 27

- locations 26
- return types 26
- enumerations 5, 39, 45
- error values 65
- exceptions 5, 28, 32

## F

- file types 48
- flat address space 19
- Fortran 3, 27, 35, 46–47
- FORTTRAN77 3
- Fortran90 3, 34–35
- friends 41

## I

- identifiers
  - case 24, 76
  - names 21, 49
- imports 35
- inheritance 40

## L

- labels 31
- languages 3, 23, 75
- LEB128 8, 51, 68, 70
- lexical blocks 31
- line number information 4, 20, 23, 50, 77
  - definitions 51, 77
  - extended opcodes 52, 56, 78
  - general rules 59
  - prologue 52
  - special opcodes 52, 54
  - standard opcodes 52, 55, 78
  - state machine registers 51
- locations
  - arithmetic operations 13
  - control flow operations 14
  - descriptions 4, 10, 19, 41, 72
  - examples 15–16
  - expressions 10, 41, 65, 72
  - lists 4, 10, 17, 74
  - literal encodings 11
  - logical operations 13
  - register based addressing 12
  - register name operators 10
  - special operations 15
  - stack 11–12, 15
- lookup

- by address 49, 77
- by name 49, 77

## M

- macro information 4, 24, 57, 78
  - base source entries 58
  - command line options 58
  - define and undefine entries 57
  - end file entries 58
  - start file entries 58
  - vendor extensions 58
- main programs 26
- members 30
  - bit fields 42
  - data 40–41
  - functions 25, 40, 43
  - locations 11, 43
  - pointers to 47
  - static data 33, 40, 49
- Modula2 3, 18, 25, 32
- modules 25
  - definition 25
  - priority 25

## N

- namelists 35

## O

- optimized code 10, 18, 33

## P

- parameters
  - default value 34
  - formal 27, 32–33, 45
  - optional 34
  - unspecified 27, 32, 46
  - variable 34
- Pascal 3, 32, 40, 46, 48
- pointers to members 47
- pre-processor 4, 57

## R

- records 40

## S

- scope 34, 37
- segmented address space 5, 19, 26, 33, 50, 66
- set types 46
- source
  - columns 20, 51
  - files 20, 23, 51, 53, 56, 58, 78
  - lines 20, 51, 57
- string table 70
- string types 46
- structures 33, 40
  - derived 40
  - incomplete 40
- subranges 39, 46
- subroutines 19, 25
  - declarations owned by 27
  - frame base 12, 27
  - inline 28, 76
  - inlined 29
  - locations 26
  - members 25, 43
  - nested 27
  - out-of-line 30
  - prototypes 26, 45
  - return addresses 27
  - return types 26, 45
  - types 19, 45

## T

- tags 4, 7, 65, 67
- templates 5, 28, 43
- try blocks 32
- type modifiers 18, 38
- typedefs 38
- types
  - base 18, 24, 37, 65, 74
  - constant 18, 38
  - modifiers 18, 38
  - packed 18, 38
  - pointer 18–19, 38
  - reference 18–19, 38
  - user-defined 18
  - volatile 18, 38

## U

- unions 33, 40, 42
  - anonymous 33, 41
  - incomplete 40
- user-defined types 18

## V

- variable length data 4, 8, 68, 70
- variables 33
- variants 40, 44, 77
- vendor extensions 4, 58, 60, 65
- Version 1 3–4, 10, 66
- Version 2 3, 10, 66, 78
- virtual functions 3, 19, 43
- virtuality 19, 41, 43, 75
- visibility 18, 75

## W

- with statements 32